


ROUND TUBE


ALL DIMENSIONS ARE IN MM



Section No.	ø A	T	Weight Kg/m	Weight Range Kg/m	
				Min.	Max.
RT8970	8.00	2.00	0.101	0.091	0.111
RT8284	8.30	1.45	0.084	0.076	0.092
RT68	9.53	1.40	0.096	0.086	0.106
RT6625	10.80	1.40	0.111	0.100	0.122
RT30564	12.00	2.00	0.170	0.153	0.187
140020	12.10	3.05	0.234	0.211	0.257
RT8905	12.25	2.62	0.215	0.194	0.237
RT50	12.70	1.22	0.118	0.106	0.130
RT-27	12.70	1.60	0.150	0.135	0.165
140019	12.70	3.35	0.265	0.239	0.292
RT6623	13.00	1.85	0.174	0.157	0.191
RT31109	14.00	1.90	0.194	0.175	0.213
RT31213	14.00	3.95	0.336	0.302	0.370
RT30553	15.00	5.00	0.423	0.381	0.465
RT31258	15.40	3.45	0.349	0.314	0.384
RT58	16.00	1.60	0.195	0.176	0.215
RT96	16.00	2.20	0.258	0.232	0.284
RT30414	16.00	5.65	0.499	0.449	0.549
RT30662	16.00	5.75	0.499	0.449	0.549
RT30959	17.50	6.00	0.585	0.527	0.644
RT30366	18.00	3.50	0.430	0.387	0.473
RT30596	18.00	4.95	0.547	0.492	0.602
RT31234	18.70	5.75	0.631	0.568	0.694
RT30138	18.20	4.95	0.556	0.500	0.612
RT30340	18.50	3.50	0.445	0.401	0.490
RT34	19.10	1.60	0.237	0.213	0.261
RT57	19.50	1.20	0.184	0.166	0.202
RT31272	19.50	1.35	0.207	0.186	0.228
RT31160	19.50	4.25	0.549	0.494	0.604
RT8079	19.60	2.30	0.337	0.303	0.371
RT31163	19.60	2.80	0.399	0.359	0.439
RT31188	19.60	2.87	0.407	0.366	0.448
RT6896	19.60	3.40	0.472	0.425	0.519
RT8267	19.60	6.05	0.695	0.626	0.765
RT8975	19.60	6.50	0.722	0.650	0.794
RT30574	19.60	6.70	0.732	0.659	0.805
RT31260	19.98	5.14	0.647	0.582	0.712
RT8279	20.00	2.50	0.371	0.334	0.408
RT30610	20.00	4.88	0.627	0.564	0.690

ROUND TUBE


ALL DIMENSIONS ARE IN MM



Section No.	ø A	T	Weight Kg/m	Weight Range Kg/m	
				Min.	Max.
RT30310	20.00	4.95	0.631	0.568	0.694
RT30817	20.00	4.50	0.591	0.532	0.650
RT6670	20.00	5.00	0.636	0.572	0.700
RT8250	21.00	2.00	0.322	0.290	0.354
RT31227	21.00	3.70	0.542	0.488	0.596
RT31229	21.00	4.00	0.576	0.518	0.634
RT30563	21.00	4.25	0.605	0.545	0.666
RT30714	21.00	4.75	0.654	0.589	0.719
RT30571	21.00	7.50	0.858	0.772	0.944
RT30322	21.00	4.50	0.678	0.610	0.746
RT30722	21.00	5.00	0.678	0.610	0.746
RT140001	21.41	2.77	0.437	0.393	0.481
RT95	21.50	2.50	0.402	0.362	0.442
140023	21.50	3.50	0.534	0.481	0.587
RT31114	22.00	1.90	0.323	0.291	0.355
140013	22.00	4.10	0.622	0.560	0.684
RT30324	22.00	5.50	0.769	0.692	0.846
RT30771	22.00	5.85	0.801	0.721	0.881
RT31176	22.00	6.10	0.818	0.736	0.900
RT31202	22.00	4.10	0.622	0.560	0.684
RT40	22.20	1.60	0.279	0.251	0.307
RT30613	22.50	5.20	0.763	0.687	0.839
RT31268	22.50	6.10	0.849	0.764	0.934
RT8229	23.00	5.00	0.763	0.687	0.839
RT31263	23.00	5.38	0.803	0.723	0.883
RT30175	23.00	6.45	0.905	0.815	0.996
RT30616	23.00	8.50	1.045	0.941	1.150
RT30444	23.20	4.75	0.743	0.669	0.817
RT8961	23.20	6.00	0.875	0.788	0.963
140002	23.20	4.75	0.743	0.669	0.817
RT8908	23.25	7.17	0.978	0.880	1.076
RT31271	23.40	1.35	0.252	0.227	0.277
RT6632	23.70	2.85	0.504	0.454	0.554
RT30112	23.90	3.65	0.626	0.563	0.689
RT7176	24.00	2.75	0.495	0.446	0.545
RT30925	24.00	5.70	0.884	0.796	0.972
RT31203	24.00	5.65	0.879	0.791	0.967
RT30166	24.00	6.55	0.969	0.872	1.066
RT30619	24.00	8.00	1.085	0.977	1.194

ROUND TUBE


ALL DIMENSIONS ARE IN MM



Section No.	$\varnothing A$	T	Weight Kg/m	Weight Range Kg/m	
				Min.	Max.
RT31223	25.00	1.25	0.251	0.226	0.276
RT30335	25.00	2.50	0.477	0.429	0.525
RT30683	25.00	5.00	0.848	0.763	0.933
RT30625	25.00	5.25	0.879	0.791	0.967
RT31211	25.00	6.00	0.966	0.869	1.063
RT31155	25.00	6.00	0.966	0.869	1.063
RT30196	25.00	6.30	0.999	0.899	1.099
RT30231	25.00	6.45	1.014	0.913	1.115
RT30436	25.00	7.13	1.080	0.972	1.188
RT30463	25.00	8.25	1.172	1.055	1.289
RT30560	25.00	10.00	1.272	1.145	1.399
RT38	25.40	1.60	0.323	0.291	0.355
RT30	25.40	2.00	0.396	0.356	0.436
RT43	25.40	3.18	0.598	0.538	0.658
RT30483	25.40	5.70	0.953	0.858	1.048
RT8231	25.40	6.40	1.031	0.928	1.134
RT30843	25.40	7.85	1.168	1.051	1.285
RT30614	25.50	6.15	1.009	0.908	1.110
RT87	25.80	1.22	0.254	0.229	0.279
140033	26.00	4.10	0.761	0.685	0.837
RT31230	26.00	4.50	0.820	0.738	0.902
RT30612	26.00	6.90	1.117	1.005	1.229
RT31157	26.05	4.60	0.836	0.752	0.920
RT30577	26.50	6.25	1.073	0.966	1.180
RT30615	26.50	7.05	1.163	1.047	1.279
RT8230	27.00	5.50	1.002	0.902	1.102
RT31192	27.00	6.40	1.118	1.006	1.230
RT30780	27.00	6.25	1.099	0.989	1.209
RT31265	27.00	6.30	1.106	0.995	1.217
RT30850	27.00	7.00	1.187	1.068	1.306
RT30957	27.00	7.40	1.222	1.100	1.344
RT30110	27.20	3.95	0.778	0.700	0.856
RT30887	27.20	7.40	1.242	1.118	1.366
RT6633	28.00	3.00	0.636	0.572	0.700
RT6687	28.00	4.00	0.813	0.732	0.894
RT140012	28.00	5.90	1.106	0.995	1.217
RT30133	28.00	6.50	1.185	1.067	1.304
RT30878	28.00	7.00	1.246	1.121	1.371
RT30731	28.00	8.63	1.417	1.275	1.559

ROUND TUBE


ALL DIMENSIONS ARE IN MM



Section No.	ø A	T	Weight Kg/m	Weight Range Kg/m	
				Min.	Max.
RT30489	28.00	8.10	1.367	1.230	1.504
RT8287	28.00	9.50	1.490	1.341	1.639
RT8974	28.00	11.00	1.586	1.427	1.745
RT31148	28.10	6.90	1.240	1.116	1.364
RT30708	28.40	3.00	0.648	0.583	0.713
RT30374	28.50	4.00	0.831	0.748	0.914
RT30367	28.50	7.15	1.295	1.166	1.425
RT31147	28.60	9.70	3.151	2.836	3.466
RT30627	29.50	8.50	1.514	1.363	1.665
RT8074	30.00	1.60	0.385	0.347	0.424
RT6672	30.00	2.00	0.474	0.427	0.521
RT30556	30.00	4.00	0.880	0.792	0.968
RT6882	30.00	4.10	0.900	0.810	0.990
RT30727	30.00	4.50	0.973	0.876	1.070
RT30680	30.00	5.00	1.060	0.954	1.166
RT8209	30.00	6.00	1.221	1.099	1.343
RT31262	30.00	6.00	1.221	1.099	1.343
RT30354	30.00	7.35	1.412	1.271	1.553
RT30232	30.00	9.00	1.603	1.443	1.763
RT30465	30.00	10.00	3.393	3.054	3.732
140041	30.10	7.65	1.456	1.310	1.602
RT30922	30.14	6.74	1.337	1.203	1.471
RT30111	30.20	4.20	0.926	0.833	1.019
RT31183	30.30	9.00	1.626	1.463	1.789
RT30698	30.50	10.25	1.760	1.584	1.936
RT31158	30.55	5.60	1.185	1.067	1.304
RT6626	31.00	3.50	0.816	0.734	0.898
RT30802	31.00	8.50	1.622	1.460	1.784
RT31017	31.10	8.30	1.631	1.468	1.794
RT31245	31.30	8.55	1.649	1.484	1.814
RT6539	31.75	1.30	0.335	0.302	0.369
RT6578	31.75	1.60	0.409	0.368	0.450
RT8213	32.00	2.00	0.508	0.457	0.559
RT30707	32.00	2.50	0.625	0.563	0.688
RT31242	32.00	3.00	0.737	0.663	0.811
RT94	32.00	3.50	0.846	0.761	0.931
RT30392	32.00	4.00	0.950	0.855	1.045
RT6573	32.00	4.50	1.050	0.945	1.155
RT30121	32.00	5.75	1.280	1.152	1.408

ROUND TUBE


ALL DIMENSIONS ARE IN MM



Section No.	Ø A	T	Weight Kg/m	Weight Range Kg/m	
				Min.	Max.
RT30174	32.00	7.00	1.484	1.336	1.632
RT30481	32.00	7.00	1.484	1.336	1.632
RT30867	32.00	8.00	1.628	1.465	1.791
RT31185	32.00	8.90	1.743	1.569	1.917
RT31152	32.00	9.75	1.840	1.656	2.024
RT31016	32.20	6.05	1.341	1.207	1.475
RT31154	32.30	11.00	1.983	1.785	2.181
140009	32.50	10.00	1.908	1.717	2.099
RT30721	32.50	11.75	2.068	1.861	2.275
RT30879	32.75	10.00	1.929	1.736	2.122
RT6574	33.00	6.20	1.409	1.268	1.550
RT8983	33.00	7.00	1.541	1.387	1.695
RT30838	33.00	7.25	1.583	1.425	1.741
RT31210	33.00	9.90	1.939	1.745	2.133
RT30781	33.50	9.50	1.934	1.741	2.127
RT30889	33.00	10.00	1.950	1.755	2.145
RT8254	33.00	12.00	2.137	1.923	2.351
RT30647	33.40	3.42	0.869	0.782	0.956
RT31175	34.00	2.00	0.556	0.500	0.612
140040	34.00	7.95	1.756	1.580	1.932
RT31266	34.00	8.80	1.881	1.693	2.069
RT31246	34.00	8.85	1.887	1.698	2.076
RT31194	34.00	8.92	1.898	1.708	2.088
RT31259	34.00	9.85	2.017	1.815	2.219
RT31182	34.00	10.00	2.035	1.832	2.239
RT31189	34.40	4.95	1.236	1.112	1.360
RT31172	34.40	4.95	1.236	1.112	1.360
RT31173	34.50	7.00	1.632	1.469	1.795
RT30334	35.00	1.20	0.344	0.310	0.378
RT30311	35.00	1.50	0.426	0.383	0.469
RT30333	35.00	2.50	0.689	0.620	0.758
RT31254	35.00	3.00	0.814	0.733	0.895
RT30240	35.00	4.50	1.164	1.048	1.280
140027	35.00	5.00	1.272	1.145	1.399
RT8933	35.00	5.75	1.426	1.283	1.569
RT30142	35.00	7.00	1.662	1.496	1.828
RT31231	35.00	7.00	1.662	1.496	1.828
RT59	35.00	8.50	1.911	1.720	2.102
140032	35.00	10.40	2.170	1.953	2.387

ROUND TUBE


ALL DIMENSIONS ARE IN MM



Section No.	ø A	T	Weight Kg/m	Weight Range Kg/m	
				Min.	Max.
RT8264	35.00	12.50	2.385	2.147	2.624
RT30650	35.65	4.58	1.205	1.085	1.326
RT6643	36.00	2.80	0.788	0.709	0.867
RT31	36.00	3.00	0.842	0.758	0.926
RT30343	36.00	3.50	0.965	0.869	1.062
RT6627	36.00	4.00	1.176	1.058	1.294
RT31253	36.00	8.00	1.900	1.710	2.090
140039	36.00	11.90	2.432	2.189	2.675
RT8237	36.00	12.50	2.491	2.242	2.740
RT30769	36.40	2.00	0.583	0.525	0.641
RT30572	36.40	1.50	0.445	0.401	0.490
RT30197	36.50	8.15	1.959	1.763	2.155
RT30681	36.50	10.35	2.295	2.066	2.525
RT31243	37.00	14.00	2.731	2.458	3.004
RT30600	37.20	7.70	1.895	1.706	2.085
RT31138	37.70	11.10	2.511	2.260	2.762
RT46	38.00	1.50	0.464	0.418	0.510
RT6572	38.00	1.75	0.538	0.484	0.592
RT8940	38.00	4.00	1.156	1.040	1.272
RT30624	38.00	5.50	1.516	1.364	1.668
RT8921	38.00	5.90	1.605	1.445	1.766
RT31193	38.00	6.50	1.736	1.562	1.910
RT31190	38.00	6.50	1.736	1.562	1.910
RT30160	38.00	6.75	1.789	1.610	1.968
RT30250	38.00	6.75	1.789	1.610	1.968
RT48	38.00	7.50	1.940	1.746	2.134
RT31153	38.00	8.00	2.000	1.800	2.200
RT8247	38.00	8.00	2.035	1.832	2.239
RT30248	38.00	8.70	2.162	1.946	2.378
RT30659	38.00	9.00	2.213	1.992	2.434
RT31159	38.05	7.13	1.868	1.681	2.055
RT7150	38.10	3.18	0.927	0.834	1.020
RT8260	38.10	12.50	2.714	2.443	2.985
RT8236	39.00	12.50	2.809	2.528	3.090
RT31132	39.00	14.50	3.013	2.712	3.314
RT31126	41.00	7.50	2.131	1.918	2.344
RT31224	40.00	1.75	0.567	0.510	0.624
RT8922	40.00	2.00	0.644	0.580	0.708
RT6743	40.00	3.00	0.933	0.840	1.026

ROUND TUBE


ALL DIMENSIONS ARE IN MM



Section No.	Ø A	T	Weight Kg/m	Weight Range Kg/m	
				Min.	Max.
RT97	40.00	3.15	1.097	0.987	1.207
RT91	40.00	5.00	1.484	1.336	1.632
140018	40.00	6.50	1.847	1.662	2.032
RT31241	40.00	10.00	2.544	2.290	2.798
RT31237	40.10	4.05	1.238	1.114	1.362
140022	40.30	10.25	2.612	2.351	2.873
RT30188	40.50	7.00	1.989	1.790	2.188
RT30583	40.50	12.75	3.002	2.702	3.302
RT30660	40.50	15.25	3.478	3.130	3.826
RT30709	40.50	15.50	3.286	2.957	3.615
RT31180	40.70	2.80	0.885	0.797	0.974
RT6617	41.00	5.50	1.655	1.490	1.821
RT30732	41.00	15.75	3.460	3.114	3.806
RT30165	41.20	1.60	0.537	0.483	0.591
RT30599	41.20	9.75	2.600	2.340	2.860
140007	41.50	2.00	0.670	0.603	0.737
RT31219	42.00	7.35	2.160	1.944	2.376
RT30145	42.00	7.50	2.194	1.975	2.413
RT31174	42.00	7.69	2.240	2.016	2.464
RT8978	42.00	12.50	3.129	2.816	3.442
RT6735	42.16	3.56	1.419	1.277	1.561
RT31167	42.50	6.80	2.059	1.853	2.265
RT30921	42.50	9.25	2.608	2.347	2.869
RT8288	42.50	13.50	3.320	2.988	3.652
RT30384	42.06	4.70	1.479	1.331	1.627
RT30637	43.00	1.50	0.528	0.475	0.581
RT6876	43.00	7.00	2.137	1.923	2.351
RT6898	43.00	7.35	2.221	1.999	2.443
RT30460	43.00	8.00	2.375	2.138	2.613
RT31228	43.00	8.25	2.431	2.188	2.674
140035	43.00	9.00	2.595	2.336	2.855
RT31131	43.00	13.00	3.308	2.977	3.639
RT30733	43.00	14.75	3.597	3.237	3.957
RT31061	43.00	16.75	3.729	3.356	4.102
RT8244	43.00	9.00	2.595	2.336	2.855
RT31197	44.35	1.70	0.615	0.554	0.677
RT7147	44.45	3.20	1.119	1.007	1.231
RT30849	45.00	1.50	0.553	0.498	0.608
RT64	45.00	2.00	0.730	0.657	0.803

ROUND TUBE


ALL DIMENSIONS ARE IN MM



Section No.	ø A	T	Weight Kg/m	Weight Range Kg/m	
				Min.	Max.
RT8283	45.00	2.50	0.901	0.811	0.991
RT30237	45.00	5.50	1.842	1.658	2.026
RT30385	45.00	9.50	2.820	2.538	3.102
RT8239	45.00	12.50	3.445	3.101	3.790
RT30390	45.00	15.25	4.010	3.609	4.411
RT30924	46.00	1.50	0.566	0.509	0.623
RT7177	46.00	5.00	1.737	1.563	1.911
RT30896	46.00	11.00	0.566	0.509	0.623
RT30386	46.00	15.50	4.010	3.609	4.411
RT30397	46.00	15.75	4.139	3.725	4.553
RT30736	46.00	16.00	4.071	3.664	4.478
RT30372	47.00	2.00	0.763	0.687	0.839
RT8985	47.00	4.50	1.722	1.550	1.894
RT6543	47.00	8.50	2.775	2.498	3.053
RT31168	47.00	9.05	2.913	2.622	3.204
RT8934	47.00	9.75	3.080	2.772	3.388
RT30370	47.20	1.85	0.693	0.624	0.762
RT31181	47.40	3.20	1.199	1.079	1.319
RT30734	47.50	10.75	3.350	3.015	3.685
RT31171	48.00	1.60	0.641	0.577	0.705
140017	48.00	1.60	0.629	0.566	0.692
140030	48.00	2.00	0.780	0.702	0.858
RT6730	48.00	3.68	1.391	1.252	1.530
RT6695	48.00	4.00	1.493	1.344	1.642
RT30242	48.00	5.00	1.823	1.641	2.005
RT30164	48.00	7.50	2.576	2.318	2.834
RT8216	48.00	8.50	2.849	2.564	3.134
RT30601	48.00	9.00	2.977	2.679	3.275
RT30244	48.26	5.08	1.860	1.674	2.046
RT30116	48.50	4.80	1.779	1.601	1.957
RT30472	49.00	1.80	0.720	0.648	0.792
RT30575	49.00	2.00	1.135	1.022	1.249
RT31255	49.00	12.50	3.870	3.483	4.257
RT6546	50.00	2.50	1.155	1.040	1.271
RT6742	50.00	3.00	1.196	1.076	1.316
RT30603	50.00	3.50	1.385	1.247	1.524
RT30294	50.00	4.00	1.560	1.404	1.716
RT63	50.00	5.00	1.909	1.718	2.100
RT6622	50.00	5.50	2.076	1.868	2.284

ROUND TUBE


ALL DIMENSIONS ARE IN MM



Section No.	ø A	T	Weight Kg/m	Weight Range Kg/m	
				Min.	Max.
8251	50.00	6.00	2.239	2.015	2.463
RT30513	50.00	7.50	2.704	2.434	2.974
RT30496	50.00	8.00	2.850	2.565	3.135
RT93	50.00	9.00	3.129	2.816	3.442
RT30258	50.00	12.50	3.976	3.578	4.374
RT30296	50.00	15.00	4.453	4.008	4.898
RT6710	50.00	18.00	4.880	4.392	5.368
RT30536	50.50	1.60	0.662	0.596	0.728
RT31146	50.50	8.75	3.098	2.788	3.408
RT31187	50.50	9.75	3.370	3.033	3.707
RT6874	50.80	2.00	0.827	0.744	0.910
RT44	50.80	3.18	1.284	1.156	1.412
RT31261	50.80	10.40	3.563	3.207	3.919
RT30234	51.00	2.00	0.831	0.748	0.914
RT140016	51.00	4.50	1.774	1.597	1.951
RT30620	51.00	6.00	2.290	2.061	2.519
RT30312	52.00	1.50	0.642	0.578	0.706
RT30201	52.00	3.50	1.439	1.295	1.583
RT8290	52.00	7.00	2.671	2.404	2.938
RT31267	52.00	8.50	3.136	2.822	3.450
RT8951	52.00	11.00	3.825	3.443	4.208
RT30628	52.00	13.50	4.408	3.967	4.849
RT8937	52.00	16.00	4.885	4.397	5.374
RT30926	52.50	2.50	1.060	0.954	1.166
RT30128	53.00	14.00	4.631	4.168	5.094
RT8217	54.00	9.25	3.511	3.160	3.862
RT30814	54.00	9.50	3.585	3.227	3.944
RT6544	54.00	10.00	3.732	3.359	4.105
RT30423	54.00	10.50	3.874	3.487	4.261
RT30306	54.00	2.00	0.882	0.794	0.970
RT8208	55.00	5.00	2.120	1.908	2.332
140005	55.00	6.00	2.493	2.244	2.742
RT6659	55.00	10.00	3.817	3.435	4.199
RT8932	55.00	13.75	4.811	4.330	5.292
RT31038	55.00	13.50	4.752	4.277	5.227
RT30229	55.50	2.00	0.907	0.816	0.998
RT30281	56.00	3.00	1.348	1.213	1.483
RT31170	56.00	12.30	4.545	4.091	5.000
RT31027	56.00	17.50	5.714	5.143	6.285

ROUND TUBE


ALL DIMENSIONS ARE IN MM



Section No.	ø A	T	Weight Kg/m	Weight Range Kg/m	
				Min.	Max.
RT30573	56.40	2.50	5.714	5.143	6.285
140008	57.00	1.50	0.706	0.635	0.777
RT30904	57.00	9.00	3.664	3.298	4.030
RT7174	57.00	11.25	4.365	3.929	4.802
RT8984	57.00	17.00	5.767	5.190	6.344
140034	57.15	3.18	1.455	1.310	1.601
RT25	57.15	3.18	1.455	1.310	1.601
RT8295	58.15	14.50	5.368	4.831	5.905
RT30504	58.20	7.40	3.189	2.870	3.508
RT6897	58.40	10.50	4.226	3.803	4.649
RT31233	58.50	1.78	0.856	0.770	0.942
RT6688	58.80	4.00	1.859	1.673	2.045
RT31270	59.00	2.00	0.966	0.869	1.063
RT8214	60.00	2.00	0.983	0.885	1.081
RT6547	60.00	2.50	1.219	1.097	1.341
RT8246	60.00	3.50	1.677	1.509	1.845
RT30717	60.00	5.00	2.332	2.099	2.565
RT6712	60.00	6.00	2.748	2.473	3.023
RT8263	60.00	10.00	4.241	3.817	4.665
RT31204	60.00	14.00	5.462	4.916	6.008
RT30517	60.00	15.00	5.725	5.153	6.298
RT31092	60.00	18.00	6.412	5.771	7.053
RT30558	60.00	21.00	6.947	6.252	7.642
RT60	60.32	3.91	1.870	1.683	2.057
RT98	60.33	5.54	2.574	2.317	2.831
RT31145	60.75	10.40	4.433	3.990	4.876
RT31244	61.00	8.50	3.785	3.407	4.164
RT31177	61.50	2.00	1.130	1.017	1.243
RT31078	61.60	1.80	0.913	0.822	1.004
RT30309	62.00	2.00	1.017	0.915	1.119
RT31134	62.00	3.00	1.501	1.351	1.651
RT30103	62.00	12.00	5.089	4.580	5.598
RT30803	62.00	14.00	5.700	5.130	6.270
RT30477	62.00	16.00	6.243	5.619	6.867
RT30688	63.00	2.00	1.034	0.931	1.137
RT30690	63.00	2.80	1.429	1.286	1.572
RT30742	63.00	4.00	2.001	1.801	2.201
RT6540	63.00	8.00	3.730	3.357	4.103
RT67	63.00	16.50	6.508	5.857	7.159

ROUND TUBE


ALL DIMENSIONS ARE IN MM



Section No.	ø A	T	Weight Kg/m	Weight Range Kg/m	
				Min.	Max.
RT26	63.50	3.18	1.627	1.464	1.790
RT6740	64.00	6.50	3.171	2.854	3.488
RT30224	64.00	11.50	5.121	4.609	5.633
RT30988	65.00	10.00	4.665	4.199	5.132
RT30512	65.00	15.00	6.361	5.725	6.997
RT30807	65.00	19.50	7.525	6.773	8.278
RT30917	66.00	2.00	1.085	0.977	1.194
RT31217	66.50	7.25	3.643	3.279	4.007
RT30768	67.00	6.00	3.715	3.344	4.087
RT30394	67.00	15.50	6.770	6.093	7.447
RT31191	68.00	13.75	6.327	5.694	6.960
RT31248	68.00	15.00	6.743	6.069	7.417
RT8262	69.50	15.25	7.013	6.312	7.714
RT8242	71.00	19.00	8.380	7.542	9.218
RT140006	70.00	4.50	2.500	2.250	2.750
RT31274	70.00	5.00	2.756	2.480	3.032
RT30289	70.00	6.00	3.256	2.930	3.582
RT31218	70.00	16.50	7.487	6.738	8.236
RT6774	70.00	22.00	8.952	8.057	9.847
RT30888	70.00	25.00	9.542	8.588	10.496
RT30840	75.50	13.05	6.359	5.723	6.995
RT31080	72.00	1.50	0.896	0.806	0.986
RT31208	72.00	3.35	1.950	1.755	2.145
RT30821	72.00	5.00	2.841	2.557	3.125
RT31209	72.00	6.00	3.358	3.022	3.694
140021	72.00	13.50	6.698	6.028	7.368
RT31238	72.50	9.75	5.189	4.670	5.708
RT31128	73.00	22.00	9.517	8.565	10.469
RT8953	73.03	5.16	2.970	2.673	3.267
RT30107	73.03	7.01	3.925	3.533	4.318
140031	74.00	2.50	1.516	1.364	1.668
RT31256	74.00	29.00	10.069	9.062	11.076
RT30236	75.00	2.50	1.537	1.383	1.691
RT30561	75.00	5.00	2.968	2.671	3.265
RT31129	75.00	18.00	8.702	7.832	9.572
RT30549	76.00	6.00	3.564	3.208	3.920
RT31249	76.00	7.00	4.096	3.686	4.506
RT30470	76.00	23.00	10.020	9.018	11.022
RT8931	76.20	3.50	2.157	1.941	2.373

ROUND TUBE


ALL DIMENSIONS ARE IN MM



Section No.	ø A	T	Weight Kg/m	Weight Range Kg/m	
				Min.	Max.
140010	76.20	6.35	3.762	3.386	4.138
RT8962	76.20	9.50	5.374	4.837	5.911
RT31130	76.50	27.75	11.474	10.327	12.621
RT30705	78.00	13.50	7.385	6.647	8.124
RT31136	79.50	2.20	1.442	1.298	1.586
RT30280	79.40	1.50	0.991	0.892	1.090
RT30101	80.00	7.00	4.337	3.903	4.771
RT30848	80.00	2.00	1.323	1.191	1.455
RT30626	80.00	4.00	2.578	2.320	2.836
RT6738	80.00	4.00	2.578	2.320	2.836
RT7118	80.00	5.00	3.180	2.862	3.498
140047	80.00	6.00	3.766	3.389	4.143
RT8296	80.00	10.00	5.937	5.343	6.531
RT30519	80.00	12.00	6.921	6.229	7.613
RT31184	80.00	15.00	8.270	7.443	9.097
RT30589	80.00	16.00	8.685	7.817	9.554
RT30623	80.00	16.00	8.685	7.817	9.554
RT31046	80.00	22.00	10.823	9.741	11.905
RT30118	80.20	2.00	1.326	1.193	1.459
RT30570	80.50	3.25	2.129	1.916	2.342
RT30516	81.20	2.10	1.409	1.268	1.550
RT31221	82.00	3.00	2.010	1.809	2.211
RT31235	82.00	16.00	8.957	8.061	9.853
RT8981	82.00	19.00	10.153	9.138	11.168
RT8980	82.00	25.00	12.081	10.873	13.289
RT31116	83.80	3.50	2.383	2.145	2.621
RT8224	84.00	29.50	13.637	12.273	15.001
RT30654	85.00	1.80	1.270	1.143	1.397
RT31127	85.00	17.50	10.019	9.017	11.021
RT31273	85.00	27.50	13.412	12.071	14.753
RT30595	86.00	15.00	9.033	8.130	9.936
RT30588	86.00	24.00	12.621	11.359	13.883
RT30756	88.90	4.80	4.628	4.165	5.091
RT8925	88.90	5.49	3.884	3.496	4.272
RT30217	88.90	6.00	4.219	3.797	4.641
RT30373	88.90	7.62	5.270	4.743	5.797
RT30119	88.90	7.62	5.253	4.728	5.778
RT99	88.90	7.65	5.616	5.054	6.178
RT6840	88.90	9.52	6.410	5.769	7.051

ROUND TUBE


ALL DIMENSIONS ARE IN MM



Section No.	ø A	T	Weight Kg/m	Weight Range Kg/m	
				Min.	Max.
RT30547	89.00	7.50	5.184	4.666	5.702
RT30344	89.00	24.50	13.404	12.064	14.744
RT30876	90.00	2.80	2.071	1.864	2.278
RT7148	90.00	3.00	2.214	1.993	2.435
RT30102	90.00	15.00	9.542	8.588	10.496
RT8990	90.00	32.00	15.743	14.169	17.317
RT31025	91.00	19.50	11.826	10.643	13.009
RT31257	92.00	11.00	7.557	6.801	8.313
RT8929	93.00	13.00	8.821	7.939	9.703
RT30777	95.00	4.75	3.636	3.272	4.000
140004	95.00	17.50	11.504	10.354	12.654
RT30831	95.00	30.00	16.540	14.886	18.194
RT30636	96.50	5.00	3.880	3.492	4.268
RT30711	96.50	5.50	4.245	3.821	4.670
140015	98.00	26.50	16.071	14.464	17.678
RT31035	98.50	11.75	8.646	7.781	9.511
RT30778	100.00	3.00	2.468	2.221	2.715
RT30562	100.00	5.00	4.029	3.626	4.432
140011	100.00	8.00	6.242	5.618	6.866
RT6549	100.00	10.00	7.630	6.867	8.393
RT31216	100.00	15.00	10.814	9.733	11.895
140014	100.00	37.50	19.880	17.892	21.868
RT31118	101.00	6.50	5.210	4.689	5.731
RT6690	101.60	5.74	4.667	4.200	5.134
RT30247	101.60	8.08	6.409	5.768	7.050
RT30509	102.00	17.00	12.256	11.030	13.482
RT30759	103.00	4.50	3.759	3.383	4.135
RT8997	103.00	20.00	14.080	12.672	15.488
RT30108	103.00	20.00	14.080	12.672	15.488
RT31018	103.00	21.50	14.863	13.377	16.349
RT31252	103.10	7.00	5.706	5.135	6.277
RT31226	105.00	10.00	8.058	7.252	8.864
RT31236	105.00	13.50	10.477	9.429	11.525
RT30621	106.00	33.00	20.433	18.390	22.476
RT30209	106.00	15.50	11.898	10.708	13.088
RT30464	108.00	30.00	19.849	17.864	21.834
RT31251	108.50	6.55	5.664	5.098	6.230
RT31247	109.00	4.50	3.988	3.589	4.387
RT30318	110.00	11.50	9.608	8.647	10.569

ROUND TUBE


ALL DIMENSIONS ARE IN MM



Section No.	Ø A	T	Weight Kg/m	Weight Range Kg/m	
				Min.	Max.
RT30202	110.00	17.50	13.584	12.226	14.942
RT30482	112.00	22.00	16.795	15.116	18.475
RT31143	113.00	6.50	5.871	5.284	6.458
RT8994	113.00	15.00	12.468	11.221	13.715
RT8964	114.20	8.51	7.629	6.866	8.392
RT30532	114.30	6.02	5.529	4.976	6.082
RT30105	115.00	13.50	11.622	10.460	12.784
RT31010	116.00	11.00	9.797	8.817	10.777
RT8993	119.00	12.50	11.292	10.163	12.421
RT31269	120.00	4.00	3.935	3.542	4.329
RT30791	120.00	4.00	3.935	3.542	4.329
RT78	120.00	8.00	8.833	7.950	9.716
RT30816	120.00	8.00	7.600	6.840	8.360
RT30844	120.00	10.00	9.330	8.397	10.263
RT30325	120.00	12.00	10.993	9.894	12.092
RT31215	120.00	17.50	15.214	13.693	16.735
RT30675	122.00	4.00	4.003	3.603	4.403
RT30559	124.00	24.50	20.679	18.611	22.747
RT30592	125.00	16.00	14.793	13.314	16.272
RT8954	127.00	6.27	6.420	5.778	7.062
RT30430	127.00	9.15	9.026	8.123	9.929
140025	127.00	17.00	15.861	14.275	17.447
RT30798	131.00	18.00	17.253	15.528	18.978
RT30213	131.00	26.00	23.150	20.835	25.465
RT30476	135.00	12.50	12.988	11.689	14.287
RT31250	137.10	8.05	8.811	7.930	9.692
RT30795	140.00	20.00	20.357	18.321	22.393
RT30522	141.30	9.53	10.672	9.605	11.739
RT31161	141.00	14.00	15.081	13.573	16.589
RT30521	141.30	6.55	7.486	6.737	8.235
RT8959	148.00	15.00	16.922	15.230	18.614
RT31056	150.00	3.00	3.740	3.366	4.114
RT31264	150.00	5.00	6.149	5.534	6.764
RT31063	153.00	5.50	6.881	6.193	7.569
RT31240	155.00	17.50	20.410	18.369	22.451
RT30640	160.00	5.00	6.573	5.916	7.230
RT31144	160.00	11.00	13.900	12.510	15.290
RT31178	160.00	18.00	21.680	19.512	23.848
RT30557	162.00	14.00	17.575	15.818	19.333

ROUND TUBE

ALL DIMENSIONS ARE IN MM




Section No.	δ A	T	Weight Kg/m	Weight Range Kg/m	
				Min.	Max.
RT31239	163.00	4.00	5.394	4.855	5.933
RT31048	164.50	25.75	30.306	27.275	33.337
140026	165.00	15.00	19.085	17.177	20.994
RT30697	168.27	10.97	14.636	14.611	19.220
RT31142	169.00	10.00	13.486	12.137	14.835
RT31049	175.00	15.00	20.358	18.322	22.394

www.sudal.co.uk

ROUND TUBE

ALL DIMENSIONS ARE IN MM



Section No.	ø A	T	Weight Kg/m	Weight Range Kg/m	
				Min.	Max.
140033	26.00	4.10	0.761	0.685	0.837
140040	34.00	7.95	1.756	1.580	1.932
140039	36.00	11.90	2.432	2.189	2.675
140035	43.00	9.00	2.595	2.336	2.855
140030	48.00	2.00	0.780	0.702	0.858
140034	57.15	3.18	1.455	1.310	1.601
140031	74.00	2.50	1.516	1.364	1.668
140032	35.00	10.40	2.170	1.953	2.387
140033	26.00	4.10	0.761	0.685	0.837

www.sudal.co.uk